

**Listing of Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)
9. (Cancelled)
10. (Cancelled)
11. (Cancelled)
12. (Cancelled)
13. (Cancelled)

14. (Cancelled)

15. (Cancelled)

16. (Cancelled)

17. (Cancelled)

18. (Cancelled)

19. (Cancelled)

20. (Cancelled)

21. (Cancelled)

22. (Previously Presented) A method comprising:  
receiving at least one electronic program guide corresponding to a broadcast system;  
generating display of said at least one electronic program guide in a first display area of a display unit associated with an apparatus;  
selecting a desired program from said at least one electronic program guide;  
controlling said apparatus to set to the selected program;  
generating display during browsing of said electronic program guide of the selected program in the second display area of said display unit;  
storing parameters identifying said selected program in a list of selected programs; and  
generating display of said list of the selected programs stored in the storage means in a third display area of said display unit, wherein said third display area is separate from said first display area.

23. (Previously Presented) A method as claimed in claim 22, further comprising:

selecting stored parameters identifying a previously selected program;  
controlling said apparatus to set to the program identified by the selected parameters; and  
generating display of the program identified by the selected parameters in a second display area of said display unit.

24. (Previously Presented) A method as claimed in claim 22, further comprising:  
selecting the program currently being displayed in the second display area of the display unit for full screen display.

25. (Cancelled)

26. (Previously Presented) A method as claimed in claim 23, further comprising:  
inputting stepwise sequential selection of the stored parameters.

27. (Previously Presented) A method as claimed in claim 22, further comprising:  
selecting a program from said list;  
controlling said apparatus to set to the program selected; and  
generating display of the program selected in the second display area of said display unit.

28. (Previously Presented) A method as claimed in claim 22, further comprising:  
selecting from said list a program currently being displayed in the second display area of the display unit; and  
generating full screen display of the selected program on the display unit.

29. (Previously Presented) A method as claimed in claim 22, further comprising:  
activating timer means upon program selection;  
controlling said apparatus to tune set to the selected program for a predetermined time;  
generating display of the selected program in the second display area of said display unit for the predetermined time;

controlling said apparatus to set to the previously selected program upon elapse of the predetermined time; and

generating display of the previously selected program in the second display area of said display unit upon elapse of the predetermined time.

30. (Previously Presented) A method as claimed in claim 29, further comprising:  
selecting the program being displayed in the second display area of the display unit for the predetermined time; and  
generating full screen display of the selected program on the display unit.

31. (Previously Presented) A method comprising:  
receiving at least one electronic program guide corresponding to a broadcast system;  
generating display of said at least one electronic program guide in a first display area of a display unit associated with an apparatus;  
selecting a desired program from said at least one electronic program guide;  
controlling said apparatus to set to the selected program;  
generating display during browsing of said electronic program guide of the selected program in a second display area of said display unit;  
storing parameters identifying said selected program;  
activating timer means upon additional program selection;  
controlling said apparatus to set to the additionally selected program for a predetermined time;  
generating display of the additionally selected program in the second display area of said display unit for the predetermined time;  
controlling said apparatus to set to the previously selected program upon elapse of the predetermined time; and  
generating display of the previously selected program in the second display area of said display unit upon elapse of the predetermined time; and  
generating display of a list of stored selected programs in a third display area of said display unit.

32. (Previously Presented) A method as claimed in claim 31, further comprising:  
selecting the program being displayed in the second display area of the display unit for the predetermined time; and  
generating full screen display of the selected program on the display unit.
33. (Previously Presented) A computer-readable medium having computer-readable instructions that when executed perform the method of:  
receiving at least one electronic program guide corresponding to a broadcast system;  
generating display of said at least one electronic program guide in a first display area of a display unit;  
providing for selection of a desired program from said at least one electronic program guide;  
controlling an associated apparatus to set to the selected program;  
generating display during browsing of the selected program in a second display area of said display unit;  
storing parameters identifying said selected program;  
providing for selection of an additional program from said electronic program guide;  
repeating the controlling, generating and storing steps for each subsequent program selection;  
providing for selection of stored parameters identifying a previously selected program;  
controlling the associated apparatus to set to the program identified by the selected parameters;  
generating display of the program identified by the selected parameters in the second display area of said display unit; and  
generating display of a list of stored selected programs in a third display area of said display unit, wherein said third display area is separate from said first display area.
34. (Previously Presented) A computer-readable medium having computer-readable instructions that when executed perform the method of:

receiving at least one electronic program guide corresponding to a broadcast system;  
generating display of said at least one electronic program guide in a first display area of a display unit;

providing for selection of a desired program from said at least one electronic program guide;

controlling an associated apparatus to tune set to the selected program;  
generating display during browsing of said electronic program guide of the selected program in the second display area of said display unit;

storing parameters identifying said selected program in a list of selected programs;  
providing for selection of an additional program from said electronic program guide;  
repeating the controlling, generating and storing steps for each subsequent program selection;

providing for selection of stored parameters identifying a previously selected program;  
controlling the associated apparatus to set to the program identified by the selected parameters;

generating display of the program identified by the selected parameters in the second display area of said display unit; and

generating display of a list of stored selected programs in a third display area of said display unit, wherein said third display area is separate from said first display area.

35. (Previously Presented) An apparatus, comprising:

a receiver configured to receive at least one electronic program guide corresponding to a broadcast system;

a display unit configured to generate display of said at least one electronic program guide in a first display area of said display unit;

a control unit configured to select a desired program from said at least one electronic program guide;

a tuner configured to control said apparatus to set to the selected program;

a memory configured to generate display during browsing of said electronic program guide of the selected program in a second display area of said display unit;

a memory configured to store parameters identifying said selected program; and wherein additional program selections causes setting said apparatus to said selected program and display of the additionally selected programs in the second display area and addition of parameters identifying the additionally selected programs to a list of selected programs stored in the storage means;

the display unit further configured to generate display of a list of the selected programs stored in the storage means in a third display area of said display unit, wherein said third display area is separate from said first display area; and

the control unit further configured to allow selection of a program from said list, wherein said selection causes to setting and display of the selected program in the second display area of the display unit.